



| Pos | Part Number | Description | Additional Text | Quantity |
|-----|-------------|-------------------------------|-----------------|----------|
| 1 | 48600020S | SREW CAP+BUSH M51X1,5 | | 2.00 |
| 2 | 46810340 | O-ring 45x2 NBR70 siliconized | | 2.00 |
| 3 | 48600018 | Adjuster rebound | | 2.00 |
| 4 | 48600020S1 | SCREW CAP M51X1,5 CPL. | | 2.00 |
| 5 | 40540603 | Steel ball d3 | | 8.00 |
| 6 | 48600028 | Spring (1,7) I7,9 | | 4.00 |
| 7 | 48600044 | O-ring 6x1,5 NBR70 | | 2.00 |
| 8 | 48600058 | Cross flat head screw M4x6 | | 2.00 |
| 9 | 48600009 | O-ring 3,7x1,6 NBR70 | | 2.00 |
| 10 | 48600043 | O-ring 12x1,5 NBR70 | | 2.00 |
| 11 | 48600019 | Tube tap d4x25 | | 2.00 |
| 12* | 48600381 | OUTER TUBE L=577MM D=54/60MM | | 2.00 |

| | | | | |
|-----|-----------|--------------------------------|------------------|------|
| 13 | 48600016 | Round-wire snap ring 48x2 | | 2.00 |
| 15 | 48600205 | DU-BUSH 48X52X12 | | 2.00 |
| 16 | 48600013 | Supportwasher 50x57,6x1,5 | | 2.00 |
| 17* | 48600399 | Shaft seal SKF 48x57,8x9,5 bla | | 2.00 |
| 18 | 48600070 | Snap ring SB58x1,5 acc drawing | | 2.00 |
| 19* | 48600400 | DUST CAP D=48 58,4X11,8 | | 2.00 |
| 22 | 48600204 | DU-BUS 47X49X20 | | 2.00 |
| 23* | 48600377 | INNER TUBE D=48 L=595 2005 | | 2.00 |
| 24* | 48600380S | HYDR.STOP L=200MM D=31,9 CPL. | | 2.00 |
| 30 | 48600014 | ADJUSTMENT TUBE L=512MM | 625 SC | 2.00 |
| 31* | 48600408 | PISTON ROD D=14 L=546 M11X1 | | 2.00 |
| 33 | 48600189 | Needle 6x42,6 rebound | | 2.00 |
| 34 | 48600046 | O-ring 3x1,5 NBR70 | | 2.00 |
| 35 | 48600033 | Spring (7,2) 4-23 needle | | 2.00 |
| 36 | 48600113 | Washer 32x42x2,5 plastic | | 2.00 |
| 37 | 48600036 | Preload bush 42x26,5x2,5 | ONLY FOR 200 SX | 2.00 |
| 37 | 48600037 | Preload bush 26,5x42x5 | | 2.00 |
| 37 | 48600053 | Preload bush 26,5x42x1,5 | | 2.00 |
| 38 | 91410011S | SPRING 3,6N/MM SET | | 0.00 |
| 38 | 91410012S | SPRING 3,8N/MM SET D=4,9MM | | 0.00 |
| 38 | 91410013S | SPRING 4,0N/MM SET D=5,0MM | | 0.00 |
| 38 | 91410014S | SPRING 4,2N/MM SET D=5,0MM | 125 SX | 1.00 |
| 38 | 91410015S | SPRING 4,4N/MM SET D=5,1MM | 250 SX | 0.00 |
| 38 | 91410016S | SPRING 4,6N/MM SET | | 0.00 |
| 38 | 91410017S | SPRING 4,8N/MM SET | | 0.00 |
| 39 | 48600021 | Spring retainer 33,5x43x3 | | 2.00 |
| 42* | 48600383S | SCREW SLEEVE M29,3X1 L=90 CPL. | | 2.00 |
| 43 | 48600239 | O-ring 8x1,25 NBR70 silicone | | 2.00 |
| 44* | 48600403 | Spring (15) 12-34,5 rebound | | 2.00 |
| 45 | 48600203 | Tap 6x45 rebound | | 2.00 |
| 47 | 35480377 | Spring (11,7) 1,5-8 valve | | 2.00 |
| 49 | 43570120 | SHIM 8X18X0,10 | | 2.00 |
| 49 | 48600062 | CHECK VALVE 8X24X0,1 | | 8.00 |
| 49 | 48600215 | Shim 8x20x0,10 | | 2.00 |
| 49 | 48600216 | Shim 8x22x0,10 | | 2.00 |
| 50 | 48600063 | Shim 6x24x0,10 | | 0.00 |
| 50 | 48600064 | Shim 6x22x0,10 | | 0.00 |
| 50 | 48600065 | Shim 6x20x0,10 | | 0.00 |
| 50 | 48600116 | Shim 6x24x0,10 delta | | 0.00 |
| 50* | 40540400 | Shim 6x12x0,10 | | 0.00 |
| 50 | 40540401 | Shim 6x14x0,10 | | 0.00 |
| 50 | 40540402 | Shim 6x16x0,10 | | 0.00 |
| 50 | 40540403 | Shim 6x18x0,10 | | 0.00 |
| 50 | 40540414 | SHIM 6X16X0,25 | | 0.00 |
| 50 | 40540415 | SHIM 6X18X0,25 | | 0.00 |
| 50 | 40540450 | Shim 6x9,5x0,30 | | 0.00 |
| 51 | 48600060 | Pistonring 26x28x5 | | 2.00 |
| 52 | 48600042 | Piston 6,05x27,65x12 rebound | | 2.00 |
| 55 | 40540486 | Nut M6x0,5 h6,5 WAF10 rebound | | 2.00 |
| 58 | 48600140 | Tube 29.3X1X385 ALU | 625 SC SUPERMOTO | 2.00 |
| 59 | 48600048 | O-ring 46x2 NBR70 siliconized | | 2.00 |

| | | | | |
|-----|------------|--------------------------------|------------|------|
| 60 | 48600237S | AXLE CLAMP L/S CPL. USD48 04 | | 1.00 |
| 61 | 48600238S | AXLE CLAMP R/S CPL. USD48 04 | | 1.00 |
| 62* | 0015080253 | HH COLLAR SCREW M 8X25 WS=10 | | 4.00 |
| 63 | 48600163 | Nut valve M6x0,5 h6,5 WAF17 | | 2.00 |
| 64* | 40541278 | Spring (8,5) l6,5 valve | | 2.00 |
| 69 | 48600152S1 | TAP COMPRESSION CPL. 03 | | 2.00 |
| 70 | 48600061 | Shim 8x24x0,40 | | 2.00 |
| 71 | 48600047 | Piston 6x27,8x9 compression | | 2.00 |
| 72 | 46811499 | O-ring 21x2 NBR70 | | 2.00 |
| 73 | 35480320 | O-ring 24x2 NBR70 | | 2.00 |
| 74 | 48600152 | TAP COMPRESSION | | 2.00 |
| 75 | 48600190 | Needle 10x11,6 compression | | 2.00 |
| 76 | 48600049 | O-ring 8x2 NBR70 | | 2.00 |
| 79 | 48600051 | Round-wire snap ring 12x1 DIN7 | | 2.00 |
| 80 | 48600034 | Adjustment screw slot compress | | 2.00 |
| 81 | 48600004 | Copper disc 29,5x33,5x1 | | 2.00 |
| 82 | 48600141 | Rubber cap 35x10 NBR80 | | 2.00 |
| 83* | 48600401S1 | FORK OIL SAE5 5L 2005 | 0,84 LITRE | 1.00 |
| 98* | T511 | SILICONE GREASE F. DUST STRI | | 1.00 |
| 99* | R14009 | REPAIR-KIT GASKET 4860 MXMA 05 | | 1.00 |

* = New part